MP3000 Multimedia player

MP3000

1. Overview

MP3000 is the portable multimedia player designed for 3.5" IDE HDD. The model with USB 2.0 interface offers you high speed data transfer rate up to 480Mbit/sec. Equipped with video and audio output ports, MP3000 serves as a powerful media player bringing you a portable movie theatre. OTB function backs up multimedia files through simply a button touch. Remote control-media mate assists playing movies, music, and pictures. Yet, user-friendly remote buttons and step-by-step menu direct you to your multimedia preference. While operating, internal 8CM big fan design cools the enclosure down and no burden for the HDD. MP3000 is run by 12V/2A and 5V2A dual power adapter that support the most up-to-date HDD sufficient enough to hold as much data as you need for a HDD. PAL and NTSC format adjustability fits almost all TV standards over the world. With the casing layout in rigid aluminum, it provides a fully metal shielding for heat dissipation and sufficient EMI control. MP3000 is a perfect companion with your DV and digital cameras to share and play your world.

2. Features

- ✧ Universal fitting for 3.5” IDE HDD device
- ✧ Powerful One Touch Backup function
- ✧ Direct connection to TV & HI-FI speakers
- ✧ Upgradeable firmware for operation customization
- ✧ Plug and Play, Hot-swapping
- ✧ Fully compatible with USB rev. 2.0, and USB 1.1.
- ✧ Remote controlled power on/off during intermittent break
- ✧ OS support: Windows 98 / 98SE / ME / 2000 / XP
  MAC OS 9.x or 10.1.2 and Later
  Linux with kernel later than 2.4.1.0
- ✧ Aluminum cover with internal metal shielding
- ✧ 8CM internal fan
- ✧ Dimension: 193mm(L)* 125mm(W)* 45mm(H)
- ✧ Subtitle Language :

  English/Tradition Chinese/Simple Chinese/
  Korean/Japanese/French/German/Italian/
  Spanish/Polish/Denish/Portuguese/Swedish

Media Support	Movie/Music/Photo
Movie	1. MPEG1 (AVI/MPEG/DAT) 2. MPEG2 (VOB) 3. MPEG4 (AVI/Divx5.0/Xvid5.0)
Music	MP3
Photo	JPG

TV System	NTSC / PAL /PAL60
HDD format	FAT32/NTFS

Connectivity	Interface
PC	USB2.0
TV	AV output S-Video output
Audio	AV output Headphone output

3. Package Contents

MP3000 is packed with a white box with a colored coat. The enclosed items of MP3000 package list as below:

1. MP3000 unit
2. Power Adapter
3. S-Video Cable
4. AV Cable
5. Remote Control
6. Installation Disc
7. User Manual
8. Stand

4. Mechanism dimension

Aluminum cover and internal metal shielding with PCBA attached metal piece maximize EMI control utility. The panel consists of a power switch, USB2.0 port, S-video out, RCA audio/video out. Front panel consists of headset out. The size of MP3000 is 193x125x45mm



Remote Controller

6. Performance and System Support

6.1 Environment ratings：

1. Operation temperature：0°C ~ 70°C
2. Storage temperature：-20°C ~ 70°C
3. Operation Humidity: 10% ~ 90% RH
4. Storage Humidity: 5% ~ 95% RH

6.2 Agency Approvals

FCC/CE Compliant

6.3 OS Supports

1. Win98/se----------External driver support with CD
2. Win2000---------- Window Native Driver
3. Win-ME----------Window Native Driver
4. Win-XP----------Window Native Driver
5. MAC OS 8.6 and later ----------Mac Native Driver support
6. Linux with Kernel 2.4.0 or above ---- Linux Native Driver Support

7. Packaging

OEM packaging available upon request.